

Tracing of Specification on Fixed Resistors

07.09.2022



International Standard	Qual.	NC	National Standard	New Standard	New style	Number of Stock.-No	Status	Remark, e.g. Date of Release or Withdrawal	Akt Datum
CECC 40101-001	NQ	FR	UTE C 83-230			1168	A	1985-05, Edition 3	07.09.2022
CECC 40101-002	NQ	FR	UTE C 83-230			3332	A	1984-10, Edition 2	07.09.2022
CECC 40101-002	-	NL	NEN-CECC 40101-002	EN 140101-806		0	R	NL ONH, 2000-11	19.06.2008
CECC 40101-003	Q	FR	UTE C 83-230			776	A	1985-05, Edition 3	
CECC 40101-004	Q	GB	(BS E9111N001)	-	-	690	A	With amendment A1, 2002-05	24.10.2012
CECC 40101-005	-	GB	BS E9111N002			3	W	1994-06	26.03.2019
CECC 40101-006	-	GB	BS E9111N003			0	W	1994-06	26.03.2019
CECC 40101-007	-	-	-	-	-	0	-	Number is blocked.	
CECC 40101-008	-	NL	NEN-CECC 40101-008			1	W	NL ONH, 2000-11	11.07.2002
CECC 40101-009	-	NL	NEN-CECC 40101-009			3	W	NL ONH, 2000-11	11.07.2002
CECC 40101-010	-	-	-	-	-	1	-	Number is blocked.	
CECC 40101-011	-	GB	BS E9111N006			1416	W	1994-06	
CECC 40101-012	-	DE	DIN 45921-102	EN 140101-806		0	R	1999-11	19.06.2008
CECC 40101-013	-	DE	DIN 45921-103	EN 140101-806		2	R	1999-11	19.06.2008
CECC 40101-014	-	DE	DIN 45921-104	EN 140101-806		0	R	1983-12	19.06.2008
CECC 40101-015	-	DE	DIN 45921-105	EN 140101-806		0	R	1999-11	19.06.2008
CECC 40101-016	-	DE	DIN 45921-106	EN 140101-806		0	R	1999-11	19.06.2008
CECC 40101-017	-	DE	DIN 45921-107	EN 140101-806		1	R	1999-11	19.06.2008
CECC 40101-018	-	DE	DIN 45921-109	EN 140101-806		0	R	1999-11	19.06.2008
CECC 40101-019	Q	GB	BS CECC 40101-019	EN 140101-806		1134	A	Style C can not be replaced by -806.	24.10.2012
CECC 40101-020	-	IT	CEI-CECC 40101-020	EN 140101-806		0	R	2009-03, withdrawn as instructed by CEI, NC	16.10.2009
CECC 40101-021	-	IT	CEI-CECC 40101-021	EN 140101-806		0	R	2009-03, withdrawn as instructed by CEI, NC	16.10.2009
CECC 40101-022	-	DE	CECC 40101-022	EN 140101-806		0	R	Withdrawn as instructed by Beyschlag.	19.06.2008
CECC 40101-023	-	DE	CECC 40101-023	EN 140101-806		0	R	Withdrawn as instructed by Beyschlag.	19.06.2008
CECC 40101-024	Q	GB	BS E9111F007			2	A	1977-01, Edition 1	24.10.2012
CECC 40101-025	-	DE	CECC 40101-025	EN 140101-806		0	R	Withdrawn as instructed by Vishay.	19.06.2008
CECC 40101-026	-	IT	CEI-CECC 40101-026			0	W	2009-03, withdrawn as instructed by CEI, NC	30.09.2009
CECC 40101-027	-	DE	CECC 40101-027	-	-	0	W	Withdrawn as instructed by Vitrohm.	15.02.1999
CECC 40101-028	-	DE	CECC 40101-028	-	-	0	W	Withdrawn as instructed by Vitrohm.	15.02.1999

A = Active specification, IW = Intention to withdraw, R = Replaced, W = Withdrawn, P = Preferred specification
 Q = Manufacturer(s) qualified, NQ = No qualification listed

International Standard	Qual.	NC	National Standard	New Standard	New style	Number of Stock.-No	Status	Remark, e.g. Date of Release or Withdrawal	Akt Datum
CECC 40101-029	-	DE	CECC 40101-029	-	-	0	W	Withdrawn as instructed by Vitrohm.	15.02.1999
CECC 40101-030	Q	GB	BS CECC 40101-030			95	A	1978-08, Edition 1	24.10.2012
CECC 40101-031	NQ	GB	BS CECC 40101-031			0	A		19.03.2003
CECC 40101-032	NQ	GB	BS CECC 40101-032			0	A	1979-05, Edition 1	
CECC 40101-033	-	DE	DIN 45921-108	EN 140101-806		0	R	1999-11	19.06.2008
CECC 40101-034	NQ	GB	BS CECC 40101-034			0	A	1980-04, Edition 1	24.10.2012
CECC 40101-035	NQ	GB	BS CECC 40101-035			7	A	1979-03, Edition 1	24.10.2012
CECC 40101-036	NQ	GB	BS CECC 40101-036			0	A		
CECC 40101-037	NQ	GB	BS CECC 40101-037			2	A	1985-03, Ausgabe 1	24.10.2012
CECC 40101-038	NQ	GB	BS CECC 40101-038			0	A	1984-05, Ausgabe 1	19.03.2003
CECC 40101-039	-	DE	CECC 40101-039	EN 140101-806		63	R	Withdrawn as instructed by Beyschlag.	19.06.2008
CECC 40101-040	-	DE	CECC 40101-040	EN 140101-806		9	R	Withdrawn as instructed by Beyschlag.	19.06.2008
CECC 40101-041	-	NL	NL-CECC 40101-041	EN 140101-806		1	R	NL ONH, 2000-11	16.10.2009
CECC 40101-042	-	NL	NL-CECC 40101-042	EN 140101-806		1	R	NL ONH, 2000-11	16.10.2009
CECC 40101-043	NQ	FR	UTE C 83-230			258	A		19.03.2003
CECC 40101-044	NQ	FR	UTE C 83-230			2182	A	1986-02, Edition 1	07.09.2022
CECC 40101-045	-	DE	DIN 45921-1014	EN 140101-806		3	R	2001-01	19.06.2008
CECC 40101-046	-	DE	DIN 45921-1017	EN 140101-806		0	R	1991-06	19.06.2008
CECC 40101-047	-	DE	DIN 45921-1020	EN 140101-806		758	R	1998-01	19.06.2008
CECC 40101-047	-	DE	VG 95295-200	EN 140101-806		758	R	2000-06	19.06.2008
CECC 40101-048	-	NL	NL-CECC 40101-048	EN 140101-806		106	R	NL ONH, 2000-11	19.06.2008
CECC 40101-801	Q	TC	-	-	-	0	A		
CECC 40101-802	Q	TC	-	EN 140101-806		0	A	Withdrawal currently discussed at TC40XB.	19.06.2008
CECC 40101-802	-	DE	DIN 45921-1010	CECC 40101-802	-	0	R	1999-11	05.11.1999
CECC 40101-803	Q	TC	-	EN 140101-806		58	A	Withdrawal currently discussed at TC40XB.	19.06.2008
CECC 40101-803	-	DE	DIN 45921-1011	CECC 40101-803	-	0	R	1999-11	05.11.1999
CECC 40101-804	Q	TC	-	EN 140101-806		535	A	Withdrawal currently discussed at TC40XB.	19.06.2008
CECC 40101-804	-	DE	DIN 45921-1012	CECC 40101-804	-	0	R	1999-11	05.11.1999
CECC 40101-805	-	TC	-			0	W	2010-06	06.10.2011
CECC 40101-806	-	TC	-	EN 140101-806	-	783	R	2008-03	06.10.2011
EN 140101-806	Q	TC	DIN EN 140101-806	-	-	0	P	2008-08 + A1:2013	01.09.2014

A = Active specification, IW = Intention to withdraw, R = Replaced, W = Withdrawn, P = Preferred specification
Q = Manufacturer(s) qualified, NQ = No qualification listed

International Standard	Qual.	NC	National Standard	New Standard	New style	Number of Stock.-No	Status	Remark, e.g. Date of Release or Withdrawal	Akt Datum
CECC 40201-001	Q	FR	UTE C 83-210/001			496	A	1978-11, Edition 1	26.09.2001
CECC 40201-002	-	GB	BS E9114N001			1038	W	1994-06	
CECC 40201-003	-	IT	CEI-CECC 40201-003			1	W	2009-03, withdrawn as instructed by CEI, NC	30.09.2009
CECC 40201-004	-	DE	DIN 45921-203	-	-	0	W	1999-11	05.11.1999
CECC 40201-005	NQ	FR	UTE C 83-210			109	A		07.09.2022
CECC 40201-006	NQ	FR	UTE C 83-210			377	A		07.09.2022
CECC 40201-007	-	DE	DIN 45921-206	-	-	0	W	1999-11	05.11.1999
CECC 40201-008	-	DE	DIN 45921-208	-	-	0	W	1999-11	05.11.1999
CECC 40201-009	NQ	FR	UTE C 83-210			158	IW		30.09.2009
CECC 40201-010	-	IT	CEI-CECC 40201-010			0	W	2009-03, withdrawn as instructed by CEI, NC	30.09.2009
CECC 40201-011	-	DE	DIN 45921-207	-	-	0	W	1999-11	05.11.1999
CECC 40201-012	-	DE	DIN 45921-210	CECC 40201-801		0	R	1998-09	
CECC 40201-801	Q	TC	-	-	-	0	P		05.04.2019
CECC 40201-801	-	NL	NEN-CECC 140201-801	-	-		A	1998-05, Edition 1	14.09.2000
CECC 40202-001	-	DE	DIN 45921-202	-	-	0	W	1999-11	05.11.1999
CECC 40202-002	-	DE	DIN 45921-209	-	-	1	W	1999-11	05.11.1999
CECC 40202-003	-	IT	CEI-CECC 40202-003			0	W	2009-03, withdrawn as instructed by CEI, NC	30.09.2009
CECC 40202-004		NL	NL-CECC 40202-004			0	W	NL ONH, 2000-11	11.07.2002
CECC 40202-005	-	DE	CECC 40202-005	-	-	0	W	Withdrawn as instructed by Vitrohm.	15.02.1999
CECC 40202-006	-	DE	CECC 40202-006	-	-	0	W	Withdrawn as instructed by Vitrohm.	15.02.1999
CECC 40203-001	Q	GB	BS CECC 40203-001			4	A		24.10.2012
CECC 40203-002	-	GB	-	-	-	0	W		
CECC 40203-003	Q	FR	UTE C 83-210			680	A	1999-07, Edition ?	27.10.1999
CECC 40203-004	-	IT	CEI-CECC 40203-004			0	W	2009-03, withdrawn as instructed by CEI, NC	30.09.2009
CECC 40203-005	-	DE	CECC 40203-005	-	-	0	W	Withdrawn as instructed by Vishay.	30.07.1999
CECC 40203-006	Q	GB	BS CECC 40203-006			772	A		
CECC 40301-001	NQ	GB	BS CECC 40301-001	-	-	2	W	2008-02	01.04.2011
CECC 40301-002	NQ	GB	BS CECC 40301-002	-	-	1	W	2008-02	01.04.2011
CECC 40301-003	NQ	GB	BS CECC 40301-003	-	-	1	W	2008-02	01.04.2011
CECC 40301-004	NQ	GB	BS CECC 40301-004	-	-	0	W	2008-02	01.04.2011
CECC 40301-005	-	GB	-	-	-	0	W		

A = Active specification, IW = Intention to withdraw, R = Replaced, W = Withdrawn, P = Preferred specification
Q = Manufacturer(s) qualified, NQ = No qualification listed

International Standard	Qual.	NC	National Standard	New Standard	New style	Number of Stock.-No	Status	Remark, e.g. Date of Release or Withdrawal	Akt Datum
CECC 40301-006	-	GB	-	-	-	0	W		
CECC 40301-007	-	GB	-	-	-	0	W		
CECC 40301-008	-	GB	-	-	-	0	W		
CECC 40301-009	-	GB	-	-	-	0	W		
CECC 40301-010	-	GB	-	-	-	0	W		
CECC 40301-011	-	GB	-	-	-	0	W		
CECC 40302-001	Q	FR	UTE C 83-220/001			708	A	1981-09, Edition 2	26.09.2001
CECC 40302-002	Q	GB	BS CECC 40302-002			5	A		
CECC 40302-003	NQ	FR	UTE C 83-230			0	A		
CECC 40302-004	Q	GB	BS CECC 40302-004			12	A		24.10.2012
CECC 40302-005	-	FR	UTE C 83-220			300	W	Vishay, 2001-03	19.03.2003
CECC 40401-001	-	DE	CECC 40401-001	EN 140401-803		13	R	2000-11	16.01.2008
CECC 40401-002	-	NL	NL-CECC 40401-002	EN 140401-802		186	R	NL ONH, 2000-11	16.01.2008
CECC 40401-003	Q	GB	CECC 40401-003	EN 140401-802		166	A	1990-05, Edition 1	16.01.2008
CECC 40401-004	-	DE	DIN 45921-1015	EN 140401-802		20	R	1992-09	16.01.2008
CECC 40401-004	-	DE	DIN 45921-402	EN 140401-802		1	R	2001-07	16.01.2008
CECC 40401-005	-	DE	DIN 45921-1016	EN 140401-803		0	R	1992-09	16.01.2008
CECC 40401-005	-	DE	DIN 45921-403	EN 140401-803		0	R	2001-07	16.01.2008
CECC 40401-006	-	DE	VG 95295-201	EN 140401-802		135	R	2005-02	16.01.2008
CECC 40401-007	-	DE	DIN 45921-1019	EN 140401-802		0	R	2001-07	16.01.2008
CECC 40401-008	Q	GB	CECC 40401-008	EN 140401-802		0	A	1993-03, Edition 1	16.01.2008
CECC 40401-009	NQ	FR	CECC 40401-009	EN 140401-801		0	IW	Edition 2	16.10.2009
CECC 40401-010	NQ	FR	CECC 40401-010	EN 140401-804		0	A	Edition 2	07.09.2022
CECC 40401-011	-	DE	CECC 40401-011	EN 140401-801	-	0	R	Draft only	10.03.2009
CECC 40401-012	-	DE	VG 95295-202	EN 140401-801	-	0	R	Draft only	16.01.2008
CECC 40401-00X	-	DE	E DIN 45921-404	EN 140401-801		0	R	1998-10	16.01.2008
CECC 40401-801	-	TC	-	EN 140401-801	-	0	R		16.01.2008
CECC 40401-801	-	NL	NEN-CECC 140401-801	EN 140401-801	-	0	R	1998-05, Edition 1	16.01.2008
CECC 40401-802	-	TC	-	EN 140401-802	-	135	R		16.01.2008
CECC 40401-802	-	NL	NEN-CECC 140401-802	EN 140401-802	-	0	R	1998-05, Edition 1	16.01.2008
CECC 40401-803	-	TC	-	EN 140401-803	-	0	R		16.01.2008

A = Active specification, IW = Intention to withdraw, R = Replaced, W = Withdrawn, P = Preferred specification
Q = Manufacturer(s) qualified, NQ = No qualification listed

International Standard	Qual.	NC	National Standard	New Standard	New style	Number of Stock.-No	Status	Remark, e.g. Date of Release or Withdrawal	Akt Datum
CECC 40402-801	Q	TC	-	EN 140402-801	-	0	R	2005-02	16.01.2008
EN 140401-801	Q	TC	DIN EN 140401-801	-	-	0	P	2007-09 + A1:2013	01.09.2014
EN 140401-802	-	TC	DIN EN 140401-802	-	-	135	P	2007-09 + A1:2010 + A2:2013 + A3:2017	01.08.2017
EN 140401-803	Q	TC	DIN EN 140401-803	-	-	0	P	2007-09 + A1:2010 + A2:2013 + A3:2017	01.08.2017
EN 140401-804	-	TC	DIN EN 140401-804	-	-	0	P	2011-06 + A1:2013 + A2:2019	02.12.2019
EN 140402-801	-	TC	DIN EN 140402-801	-	-	0	P	2015-04	07.09.2015
-	-	DE	DIN 44051	EN 140101-806	-	642	R	1999-08	19.06.2008
-	-	DE	DIN 44052	EN 140101-806	-	4734	R	1998-09	19.06.2008
-	-	DE	DIN 44053	EN 140101-806	-	337	R	1983-12	19.06.2008
-	-	DE	DIN 44054	EN 140101-806	-	146	R	1998-09	19.06.2008
-	-	DE	DIN 44055	EN 140101-806	-	509	R	1998-09	19.06.2008
-	-	DE	DIN 44061	EN 140101-806	-	1683	R	1998-09	19.06.2008
-	-	DE	DIN 44062	EN 140101-806	-	0	R	1999-08	19.06.2008
-	-	DE	DIN 44063	EN 140101-806	-	91	R	1999-08	19.06.2008
-	-	DE	DIN 44064	EN 140101-806	-	106	R	1999-08	19.06.2008
-	-	DE	MTV 5905-001	-	-	0	W	1999-02 (Replacement 526-0)	29.03.2000
-	-	DE	MTV 5905-002	-	-	2	W	1999-02 (Replacement 526-0)	20.02.1999
-	-	DE	VG 95295-10	CECC 40201-801	FDG	19	R	2002-05	10.05.2002
-	-	DE	VG 95295-11	CECC 40201-801	FDK	13	R	1998-08	03.08.1998
-	-	DE	VG 95295-110	CECC 40201-801	FDG	0	R	2002-05	10.05.2002
-	-	DE	VG 95295-111	CECC 40201-801	FDK	0	R	1998-08	03.08.1998
-	-	DE	VG 95295-112	CECC 40201-801	FDP	0	R	2002-05	10.05.2002
-	-	DE	VG 95295-12	CECC 40201-801	FDP	2	R	2002-05	10.05.2002
-	-	DE	VG 95295-13	EN 140101-806	B	34	R	1998-08	19.06.2008
-	-	DE	VG 95295-14	EN 140101-806	D	1	R	1998-08	19.06.2008
-	-	DE	VG 95295-15	EN 140101-806	(E)	1	R	1998-08	19.06.2008
-	-	DE	VG 95295-16	EN 140101-806	A	57	R	1995-05	19.06.2008
-	-	DE	VG 95295-17	EN 140101-806	A	0	R	1998-08	19.06.2008
-	-	DE	VG 95295-2	-	-	0	W	Generic specification, 2004-09	04.02.2005
-	-	DE	VG 95295-4	EN 140101-806	B	6	R	1995-05	19.06.2008
-	-	DE	VG 95295-5	EN 140101-806	(C)	6	R	1995-05	19.06.2008

A = Active specification, IW = Intention to withdraw, R = Replaced, W = Withdrawn, P = Preferred specification
Q = Manufacturer(s) qualified, NQ = No qualification listed

International Standard	Qual. NC	National Standard	New Standard	New style	Number of Stock.-No	Status	Remark, e.g. Withdrawal	Date of Release or	Akt Datum
-	-	DE VG 95295-6	EN 140101-806	D	0	R	1995-05		19.06.2008
-	-	DE VG 95295-7	EN 140101-806	B	367	R	1995-05		19.06.2008
-	-	DE VG 95295-8	EN 140101-806	B	2	R	1995-05		19.06.2008
-	-	DE VG 95295-9	EN 140101-806	D	44	R	1995-05		19.06.2008

Number of specifications:	157		Number of Stock.-No.:	28406	(NATO)
Number of specifications with status A:	34	21,66%	Number of Stock-No. with status A:	14411	50,73%
Number of specifications with status IW:	2	1,27%	Number of Stock-No. with status IW:	158	0,56%
Number of specifications with status R:	71	45,22%	Number of Stock-No. with status R:	11775	41,45%
Number of specifications with status W:	41	26,11%	Number of Stock-No. with status W:	2769	9,75%
Number of specifications without status:	2	1,27%			
Number of specifications with status P:	7	4,46%			